

ActualVCE

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

[Download Demo](#)



ONLINE TEST ENGINE
Online
Best Practice Material

- ✓ Online Tool, Convenient, easy to study.
- ✓ Instant Online Access
- ✓ Supports All Web Browsers
- ✓ Practice Online Anytime
- ✓ Test History and Performance Review
- ✓ Supports Windows / Mac / Android / iOS, etc.



DESKTOP TEST ENGINE
Soft
Best Practice Material

- ✓ Installable Software Application
- ✓ Simulates Real Exam Environment
- ✓ Builds Exam Confidence
- ✓ Supports MS Operating System
- ✓ Two Modes For Practice
- ✓ Practice Offline Anytime



PRACTICE PDF
PDF
Best Practice Material

- ✓ Printable PDF Format
- ✓ Prepared by IT Experts
- ✓ Instant Access to Download
- ✓ Study Anywhere, Anytime
- ✓ 365 Days Free Updates
- ✓ Free PDF Demo Available



Security & Privacy

ActualVCE respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact ActualVCE.



365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Try Before Buy

ActualVCE offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.actualvce.com/>

Believable Exam Dumps Questions grant you ensured success by your first attempt - ActualVCE

Exam : 000-M34

Title : IBM Information Management
pureXML Technical Mastery Test v2

Vendors : IBM

Version : DEMO

NO.1 Which query retrieves an output identical to xquery db2-

fn:xmlcolumn("XMLCUSTOMER.INFO");?

- A. xquery db2-fn:sqlquery("select info from xmlcustomer");
- B. xquery count(db2-fn:xmlcolumn('XMLPRODUCT.DESCRPTION')/product[description/price < 40]);
- C. xquery db2-fn:sqlquery("select info from xmlcustomer where cid = 1002");
- D. xquery db2-fn:xmlcolumn('XMLCUSTOMER.INFO')/customerinfo[addr/city='Toronto']/name;

Answer: A

NO.2 Which feature of DB2 9.5 makes it simple to compress XML data because a reorg is no longer

necessary?

- A. RUNSTATS
- B. cost-based optimizer
- C. Automatic Dictionary Creation (ADC)
- D. Net Search Extender (NSE)

Answer: C

NO.3 In what should a nested expression be enclosed if the content of an element or attribute must be

computed?

- A. < >
- B. { }
- C. ()
- D. //

Answer: B

NO.4 Three of the Xquery statements below are equivalent expressions. Select the one that is not.

- A. xquery
for \$i in db2-fn:xmlcolumn(XMLCUSTOMER.INFO)
where \$i/customerinfo/name = John Doe return \$i/addr;
- B. xquery
db2-fn:xmlcolumn(XMLCUSTOMER.INFO)/customerinfo/name = John Doe/addr;
- C. xquery
for \$i in db2-fn:xmlcolumn(XMLCUSTOMER.INFO)/customerinfo[name = John Doe]
return \$i/addr;

D. xquery

db2-fn:xmlcolumn(XMLCUSTOMER.INFO)/customerinfo[name = John Doe]/addr;

Answer: B

NO.5 Which statement is FALSE about XQuery?

A. XQuery provides the means to extract and manipulate data from XML documents.

B. XQuery is for relational databases what SQL is for XML.

C. XQuery provides the means to extract and manipulate any data source that can be viewed as XML.

D. XQuery uses XPath expression syntax to address specific parts of an XML document.

Answer: B