

# ActualVCE

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

[Download Demo](#)



**ONLINE TEST ENGINE**  
Online  
Best Practice Material

- ✓ Online Tool, Convenient, easy to study.
- ✓ Instant Online Access
- ✓ Supports All Web Browsers
- ✓ Practice Online Anytime
- ✓ Test History and Performance Review
- ✓ Supports Windows / Mac / Android / iOS, etc.



**DESKTOP TEST ENGINE**  
Soft  
Best Practice Material

- ✓ Installable Software Application
- ✓ Simulates Real Exam Environment
- ✓ Builds Exam Confidence
- ✓ Supports MS Operating System
- ✓ Two Modes For Practice
- ✓ Practice Offline Anytime



**PRACTICE PDF**  
PDF  
Best Practice Material

- ✓ Printable PDF Format
- ✓ Prepared by IT Experts
- ✓ Instant Access to Download
- ✓ Study Anywhere, Anytime
- ✓ 365 Days Free Updates
- ✓ Free PDF Demo Available



## Security & Privacy

ActualVCE respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



## Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact ActualVCE.



## 365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



## Try Before Buy

ActualVCE offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.actualvce.com/>

Believable Exam Dumps Questions grant you ensured success by your first attempt - ActualVCE

**Exam :** 3X0-203

**Title :** Level 2 samba

**Vendors :** SAIR

**Version :** DEMO

NO.1 What is the function of the smbclient command?

- A. It provides access to a Samba-enabled computer from a Windows machine.
- B. It provides access to shared resources on a Windows computer.
- C. It allows a Windows share to be mounted from a computer running Linux.
- D. It provides access to Linux shares from a Windows computer.

Answer: B

NO.2 Diego, an administrator, has set up a Samba server to provide Windows users access to their Linux

home directories. In the [homes] share, which of the following should he use to define the path of the

home directories as "/home/samba/<user name>"?

- A. path = /home/samba/%l
- B. path = /home/samba/%h
- C. path = /home/samba/%n
- D. path = /home/samba/%u

Answer: D

NO.3 Dora, an administrator, would like to temporarily disable a share so she can change its contents. Which

of the following should she add to smb.conf in the share's section to do this?

- A. comment = off
- B. browseable = false
- C. fstype = no
- D. available = no
- E. public = no

Answer: D

NO.4 Nicolas, an administrator, needs to create a new log file for each client computer connecting to the

Samba server. In the past, Nicolas entered each client computer name into smb.conf, but now he is

looking for a faster method to direct Samba to the correct log file for each computer. Which log path can

Nicolas use so he does not have to manually enter each individual NetBIOS name?

- A. /var/logs/samba.%n
- B. /var/logs/samba.%g
- C. /var/logs/samba.%h

D. `/var/logs/samba.%m`

Answer: D

NO.5 Ron, a Windows user on his local network, asked his co-worker Ned to save a file on the file server (a Linux machine). Ned saves the file in the specified directory and sends Ron a message to tell him it is

there. Ron looks in the file server share, but he cannot find the file until he checks it 20 minutes later. Why

is Ron having this problem?

- A. The "deadtime" parameter of the `smb.conf` file is set to 1200.
- B. The "browseable" parameter of the `smb.conf` file is set to 1200.
- C. The "change notify timeout" parameter of the `smb.conf` file is set to 1200.
- D. The "browse list" parameter of the `smb.conf` file is set to 1200.

Answer: C

NO.6 Which of the following does the "create mask" parameter allow Samba to do?

- A. It allows Samba to map Unix permissions to MS-DOS modes.
- B. It allows Samba to map MS-DOS modes to Unix permissions.
- C. It allows Samba to override Unix and MS-DOS permissions.
- D. It allows authentication for MS-DOS with Unix.
- E. It allows authentication for Unix with MS-DOS.

Answer: B

This document was created with Win2PDF available at <http://www.win2pdf.com>.

The unregistered version of Win2PDF is for evaluation or non-commercial use only.

This page will not be added after purchasing Win2PDF.

NO.7 Isabella has recently enabled SSL support on a large Samba server and has issued the command

below. What did Isabella accomplish with this command? `ssleay ca -days 100 -infile client1-csr >`

`client1.pem`

- A. She has "signed" the client (client1) certificate and authorized it to use the server.
- B. She has removed the client (client1) certificate from the system.
- C. She has created a temporary file (client1.pem) that generates a public certificate for the client (client1).
- D. She has generated a public key (client1.pem) for the client.

Answer: A

NO.8 In order for encrypted passwords to be available to Samba, which of the following lines should appear

in smb.conf? (Choose two.)

- A. encrypt passwd = yes
- B. encrypt passwords = yes
- C. smb passwd file = /usr/local/etc/smbpasswd
- D. encrypt = /etc/shadow
- E. encryptpass = /usr/local/etc/smbpasswd

Answer: BC

NO.9 Which of the following commands will be executed first by Samba?

- A. preexec = rm -r /home/samba/tmp/\*
- B. root postexec = mkisofs -log-file %H/log-%d.txt
- C. root preexec = mkdir /home/temp
- D. root execute = rmdir -R /home/temp
- E. prescript = /home/samba/scripts

Answer: C

NO.10 Many smb.conf parameters take list arguments such as the hide files parameter. From the following,

select the "hide files" parameter with the proper syntax that would prevent users from accessing files

with .mbx extensions and files beginning with samba.

- A. hide files = .mbx, samba.
- B. hide files = \*.mbx, samba.\*
- C. hide files = "\*.mbx", "samba.\*"
- D. hide files = \*.mbx / samba.\*
- E. hide files = .mbx / samba.

Answer: D