

ActualVCE

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

[Download Demo](#)



ONLINE TEST ENGINE
Online
Best Practice Material

- ✓ Online Tool, Convenient, easy to study.
- ✓ Instant Online Access
- ✓ Supports All Web Browsers
- ✓ Practice Online Anytime
- ✓ Test History and Performance Review
- ✓ Supports Windows / Mac / Android / iOS, etc.



DESKTOP TEST ENGINE
Soft
Best Practice Material

- ✓ Installable Software Application
- ✓ Simulates Real Exam Environment
- ✓ Builds Exam Confidence
- ✓ Supports MS Operating System
- ✓ Two Modes For Practice
- ✓ Practice Offline Anytime




PRACTICE PDF
PDF
Best Practice Material

- ✓ Printable PDF Format
- ✓ Prepared by IT Experts
- ✓ Instant Access to Download
- ✓ Study Anywhere, Anytime
- ✓ 365 Days Free Updates
- ✓ Free PDF Demo Available

 **Security & Privacy**
ActualVCE respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

 **Instant Download**
After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact ActualVCE.

 **365 Days Free Updates**
Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.

 **Try Before Buy**
ActualVCE offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.actualvce.com/>

Believable Exam Dumps Questions grant you ensured success by your first attempt - ActualVCE

Exam : C6030-042

Title : Developing with IBM Enterprise PL/I

Vendors : IBM

Version : DEMO

NO.1 The lead developer is presenting sample code. One of the team members identifies an error in the code. Which of the following is the most appropriate response for the lead developer to make?

- A. Apologize for the error and continue the presentation.
- B. Thank the person for pointing out the error.
- C. Suggest that this error be discussed in the next meeting.
- D. Declare the point irrelevant because this is sample code.

Correct: B

NO.2 Which of the following is a typical deadlock situation? Situation 1: Transaction A waiting for resource_2 and Transaction B waiting for resource_1 while resource_1 is held by Transaction C and resource_2 is held by Transaction B Situation 2: Transaction A waiting for resource_1 and Transaction B waiting for resource_2 while resource_1 is held by Transaction B and resource_2 is held by Transaction C Situation 3: Transaction A Waiting for resource_2, Transaction B waiting for resource_3, Transaction C waiting for resource_1, while resource_1, resource_2 and resource_3 are held by Transactions A, B and C respectively. Situation 4: Transaction B waiting for resource_1 and Transaction C waiting for resource_2 while resource_1 is held by Transaction C and resource_2 is held by Transaction A

- A. Situation 1
- B. Situation 2
- C. Situation 3
- D. Situation 4

Correct: C

NO.3 SUBSCRIPTRANGE checks which of the following?

- A. The subscripts of an array are checked for conformance with iSUB defining rules.
- B. The address generated for accessing an array element is checked to be sure it falls within the storage allocated to the array.
- C. The value of each subscript used to refer to an array element is checked for validity after

the element is
accessed.

D.The value of each subscript used to refer to an array element is checked for validity before
the element
is accessed.

Correct:D

NO.4 Which of the following is LEAST likely to be performed by an online application?

A.Checkpoint/restart logic

B.Transaction processing

C.End user interaction

D.Sorting

Correct:A

NO.5 What could be used when a structure is passed to a subroutine to verify that the area
the

structure occupies in storage has not been overwritten?

A.Structure is passed as a pointer.

B.Structure has eyecatchers at start and at end.

C.Structure has a length field at start.

D.Structure is passed as an aggregate.

Correct:B

NO.6 In the following example what value will be printed to SYSPRINT, if any, from the PUT
LIST in

```
PGM_A? PGM_A: PROC; DCL INPARAM CHAR (10) INIT('FIRST CALL'); DCL P_OUT PTR;  
DCL  
OUTPARAM CHAR(10) BASED (P_OUT); DCL PGM_B ENTRY(CHAR(10),PTR) EXTERNAL;  
CALL  
PGM_B (INPARAM,P_OUT); IF OUTPARAM = 'RESULT ' THEN DO; INPARAM = "; CALL  
PGM_B  
(INPARAM,P_OUT); END; PUT LIST(OUTPARAM); END; PGM_B: PROC(INPARAM,P_OUT);  
DCL  
INPARAM CHAR (10); DCL P_OUT PTR; DCL OUTPARAM CHAR (10) INIT(""); P_OUT =  
ADDR(OUTPARAM); IF INPARAM ='FIRST CALL' THEN OUTPARAM = 'RESULT '; ELSE  
OUTPARAM =  
'NO RESULT '; END;
```

A.Blanks

B.'NO RESULT'

C.Unpredictable

D.'RESULT'

Correct:C

NO.7 The XMLCHAR builtin function provides the ability to do which of the following?

A.Check XML for well-formedness

B.Check XML for validity

C.Create an XML buffer from a structure

D.Read an XML file into a structure

Correct:C

NO.8 In which of the following examples will a dummy argument be passed?

A.DCL A EXT ENTRY; DCL (X,Y) FIXED BIN; CALL A(X,Y);

B.DCL A EXT ENTRY (FIXED, BINARY); DCL (X,Y) FIXED BIN; CALL A(X,Y);

C.DCL A EXT ENTRY (FIXED BINARY); DCL (X,Y) FIXED BIN; CALL A(X,Y);

D.PGM: PROC OPTIONS(MAIN); DCL (X,Y) FIXED BIN; CALL C (X,Y); C: PROC (A,B);

DCL (A,B) BIN

FIXED; END C; END PGM;

Correct:B

NO.9 Which of the following will definitely NOT cause an unresolved external entry?

A.Missing library at link time

B.The main procedure name matching the binder or load module 'name'

C.A mismatch in names between the CALL and the actual procedure

D.An incorrect DECLARE for the external entry

Correct:B

NO.10 Given the following declarations, which code is likely to perform best and correctly initialize

structure S? DCL 1 S UNALIGNED, 2 A CHAR(3), 2 B BIN FIXED(31), 2 C DEC FIXED(5);

DCL 1 T

UNALIGNED LIKE S; T = ";

A.S = ";

B.S = T, BY NAME;

C.CALL PLIFILL(ADDR(S),' ',STG(S));

D.CALL PLIMOVE(ADDR(S),ADDR(T),STG(S));

Correct:D

NO.11 Which of the following PL/I features is NOT new with Enterprise PL/I?

- A.VALUE attribute for named constants.
- B.UNIONS or CELLS to assign identical storage to different variables.
- C.Writing numeric constants with the underscore sign as a separator.
- D.Using hexadecimal constants.

Correct:D

NO.12 Prerequisite: A sorted input dataset with record length 100 contains at least one record for each

of the values '1', '2', '3' in the first byte. The applied sort criteria is 1,100,ch,a. Requirements:

1.) All

records with '1' in the first byte must be ignored. 2.) All records with '2' in the first byte must be

written to the output dataset. 3.) If there is a '3' in the first byte, the read iteration must be left.

4.)

The program must not abend or loop infinitely. If the code below does not fulfill the specifications

provided above, which of the following is the most likely reason? DCL DDIN FILE RECORD INPUT;

DCL DDOUT FILE RECORD OUTPUT; DCL 1 INSTRUC, 3 A CHAR(1), 3 * CHAR(99); DCL EOF_IN

BIT(1) INIT('0'B); DCL (Z1,Z2,Z3,ZO) BIN FIXED(31) INIT(0); ON ENDFILE(DDIN) EOF_IN = '1'B;

READ FILE(DDIN) INTO (INSTRUC); LOOP: DO WHILE(^EOF_IN); SELECT(INSTRUC.A); WHEN('1')

DO; Z1 += Z1; ITERATE LOOP; END; WHEN('3') DO; Z3 = Z3+1; LEAVE LOOP; END;

WHEN('2') DO;

Z2 = Z2+1; WRITE FILE(DDOUT) FROM(INSTRUC); END; OTHER DO; ZO = ZO+1; PUT SKIP

LIST(INSTRUC.A); END; END; /*select*/ READ FILE(DDIN) INTO(INSTRUC); END; /*loop*/

A.The code does not fulfill the requirement because the program will loop infinitely.A.The code does not

fulfill the requirement because the program will loop infinitely.

B.The code does not fulfill the requirement because the last record with '2' in the first byte will be written

twice to the output dataset.B.The code does not fulfill the requirement because the last record with '2' in

the first byte will be written twice to the output dataset.

C.The code does not fulfill the requirement because not all records with '2' in the first byte will be written to

the output dataset.C.The code does not fulfill the requirement because not all records with '2' in the first

byte will be written to the output dataset.

D.The code fulfills the requirement.D.The code fulfills the requirement.

Correct:A

NO.13 A program reads a GSAM dataset sequentially, reads complementary information from

DB2-Databases and uses this information to update an IMS-Database. At the end of the program

statistics about how many records have been read and how many IMS-Segments have been updated should be printed. The program should write checkpoints regularly and should be restartable. Which of the following groups of information saved when the checkpoint is written will provide enough information to be able to restart the program correctly?

A.The key of the last record read from the GSAM dataset and the key of the last IMS segment changed.

B.The number of records read from the GSAM dataset and the number of IMS segments changed.

C.The number of records read from the GSAM dataset, the key of the last record read from the GSAM

dataset and the key of the last IMS segment updated.

D.The key of the last IMS segment changed and the number of segments changed.

Correct:B

NO.14 Given the following declarations, a list of 100 elements must be created so that the element

created last can be accessed as the first element of the list. A new element is always inserted in

front of the element created before. The variable NEXT in the last element should contain the value NULL. Which of the following pieces of code implements this? DCL 1 NODE BASED (ANCHOR), 2 NEXT POINTER, 2 DATA FIXED BIN (31); DCL ANCHOR POINTER; DCL P POINTER

INIT (NULL()); DCL I FIXED BIN(31);

A.DO I = 1 TO 100; ALLOCATE NODE; NODE.DATA = I; NODE.NEXT = P; P = ANCHOR; END;

B.DO I = 1 TO 100; P = ANCHOR; ALLOCATE NODE; NOTE.DATA = I; NODE.NEXT = P;
END;
C.I = 1 TO 100; ALLOCATE NODE; NODE.DATA = I; NODE.NEXT = P; ANCHOR = P; END;
D.DO I = 1 TO 100; NODE.DATA = I; NODE.NEXT = P; ALLOCATE NODE; P = ANCHOR;
END;

Correct:A

NO.15 Which of the following best describes an atomic transaction?

- A.The database modifications must follow an 'all or nothing' rule
- B.Only valid data will be written to database
- C.If one part of the transaction fails, the remainder may still be processed
- D.Referential Integrity is maintained in the database

Correct:A

NO.16 Requirement: If the value of the numeric variable I is 1 it needs to be changed to 2 and vice versa.

In all other cases it must remain unchanged. Which of the following solutions meets the requirement and does not require essential structural modifications when the requirement is changed to the following: If the value of the numeric variable I is 512 it needs to be changed to 731

and if the value is 814 it needs to be changed to 5. In all other cases it must be set to 111.

- A.IF I = 1 ! I = 2 THEN I = 3 - I;
- B.DCL ONETWO(2) BIN FIXED(15) INIT(2,1); IF I = 1 ! I = 2 THEN I = ONETWO(I);
- C.SELECT (I); WHEN(1) I = 2; WHEN(2) I = 1; OTHER; END;
- D.IF I = 1 THEN I = 2; IF I = 2 THEN I = 1;

Correct:C

NO.17 Given the following declarations, which statement correctly refers to X? DCL R CHAR(10); DCL

X CHAR(10) BASED; DCL P PTR; DCL Z CHAR(10); P = ADDR(R);

- A.Z = P -> X;
- B.P = ADDR(X);
- C.Z = X;
- D.X = 'THIS IS X';

Correct:A

NO.18 The lead developer on a project has just learned that Pat, a highly skilled programmer on the

team, has been reassigned. The lead developer is familiar with Pat's work and is concerned because no one on the team has the necessary skills to pick up the work immediately. A new employee with the required skills is joining the team next week, but the timeline for a mission critical milestone has been moved up to the end of this week. Which of the following is the most

appropriate action for the lead developer to take to ensure that the critical milestone is met?

- A. Direct the team to cover all of Pat's work until the new employee arrives.
- B. Explain to the team why this change in schedule is important to the customer.
- C. Personally cover the work until the new employee arrives.
- D. Explore with the team whether they will be able to meet the new deadline.

Correct:C

NO.19 Which of the following is NOT part of the PL/I code review?

- A. Training course for the program's author
- B. Attendance of people with technical expertise
- C. Decision whether the review object is a appropriate solution
- D. Documentation of results of the review

Correct:A

NO.20 Given the following code: DCL INDATA FILE RECORD INPUT; DCL INSTRUC
CHAR(100); DCL

EOF BIT(1) INIT('0'B); ON ENDFILE(INDATA) EOF = '1'B; OPEN FILE(INDATA); READ
FILE(INDATA)

INTO(INSTRUC); DO WHILE (^EOF); CALL SR_PROCESS; READ FILE(INDATA)
INTO(INSTRUC);

END; CLOSE FILE(INDATA); If the database (input file) changes from OS-PS to DB2 view
and the

necessary syntax has been changed accordingly, which of the following DB2-related steps is
NOT

additionally required to guarantee the same level of stability and functionality?

- A. Check the SQLCODE after each EXEC SQL FETCH statement.
- B. Check the SQLCODE after each EXEC SQL OPEN / CLOSE statement.
- C. Set the EOF bit to '1'B, if SQLCODE = 100 (not found).
- D. Check the CURRENT SQLID.

Correct:D